

To: [Nonresponsive based on revised scope]@erllc.com]
From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Fri 3/18/2022 1:24:01 PM (UTC)
Subject: Re: [EXT]Fwd: Maintenance all set - 3/28 -FW: Kinetico maintenance in Nathalie

Ok I will set up the appointments

Thank you
Chris

On Mar 18, 2022, at 9:22 AM, [Nonresponsive based on revised scope]@erllc.com> wrote:

Spoke with [Nonresponsive based on revised scope]t Kinetico and she said thy should have no problem doing the other residences that Monday and Tuesday.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Thursday, March 17, 2022 5:15 PM
To: [Nonresponsive based on revised scope]@erllc.com>
Subject: [EXT]Fwd: Maintenance all set - 3/28 -FW: Kinetico maintenance in Nathalie

*****CAUTION*** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.**

[Nonresponsive based on revised scope]
Actually we should have Kinetico do all the systems that week

Please reach out to Robert to see if that is feasible

Also please remind Kinetico to send the bill to ER not Meg from EPA

Thank you
Chris

Begin forwarded message:

From: "Wagner, Christine" <Wagner.Christine@epa.gov>
Date: March 17, 2022 at 4:59:46 PM EDT
To: [Nonresponsive based on revised scope]@erllc.com>
Subject: Fwd: Maintenance all set - 3/28 -FW: Kinetico maintenance in Nathalie

[Nonresponsive based on revised scope]
I will prepare a DWO for this. Let's make this happen

Thank you
Chris

Begin forwarded message:

From: "Soscia, Gina" <Soscia.Gina@epa.gov>
Date: March 11, 2022 at 1:35:57 PM EST
To: "Wagner, Christine" <Wagner.Christine@epa.gov>
Subject: Maintenance all set - 3/28 -FW: Kinetico maintenance in Nathalie

Kris, we are good to go for maintenance at the one property for 3/28 at 10am!

Thank you,
Gina

From: Nonresponsive based on revised scope <[\[REDACTED\]@kineticoswva.com](mailto:[REDACTED]@kineticoswva.com)>
Sent: Friday, March 11, 2022 1:02 PM
To: Soscia, Gina <Soscia.Gina@epa.gov>
Subject: RE: Kinetico maintenance in Nathalie

I can schedule the 17086 LP Bailey Highway residence on Monday the 28th at 10am.

Thank you,

Nonresponsive based on revised scope



**1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336**



----- Original Message -----

Subject: RE: Kinetico maintenance in Nathalie
From: "Soscia, Gina" <Soscia.Gina@epa.gov>
Date: Fri. March 11, 2022 11:58 am
To: Nonresponsive based on revised scope <[\[REDACTED\]@kineticoswva.com](mailto:[REDACTED]@kineticoswva.com)>

Just received confirmation from the resident at 17086 LP Bailey Highway that the AM hours of Monday, 3/28 or Tuesday, 3/29 work best. Please advise which day we can provide maintenance and I will make them aware as well as Chris Wagner to provide funding. Thank you!


From: Nonresponsive based on revised scope <[\[REDACTED\]@kineticoswva.com](mailto:[REDACTED]@kineticoswva.com)>
Sent: Friday, March 11, 2022 11:44 AM

To: Soscia, Gina <Soscia.Gina@epa.gov>
Subject: RE: Kinetico maintenance in Nathalie

Yes, the last week of this month still works for us.

Thank you!

Nonresponsive based on revised scope



**1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336**



----- Original Message -----

Subject: RE: Kinetico maintenance in Nathalie

From: "Soscia, Gina" <Soscia.Gina@epa.gov>

Date: Fri, March 11, 2022 11:39 am

To: Nonresponsive based on revised scope <@kineticoswva.com>

Hello, thank you! I spoke with Chris Wagner and she informed me that she will handle the other property owners that require sampling and maintenance.

Please just confirm that the last week of the month still works for maintenance at 17086 LP Bailey Highway and if so, I will confirm with the resident.

Thank you!



Gina Soscia

Community Involvement Branch Chief
Office of Public Affairs
US EPA Mid-Atlantic Region
Phone 215-814-5538
Email soscia.gina@epa.gov




From: Nonresponsive based on revised scope @kineticoswva.com>
Sent: Friday, March 11, 2022 10:55 AM
To: Soscia, Gina <Soscia.Gina@epa.gov>
Subject: RE: Kinetico maintenance in Nathalie

Gina,

We have availability the last week of this month for all the property owners. Let us know what works for you if you would like to schedule everyone on 2 consecutive days.

Thank you,

Nonresponsive based on revised scope



**1171 Cheatham Park Dr.
Bedford, VA 24523
540-586-9336**



----- Original Message -----

Subject: Kinetico maintenance in Nathalie
From: "Soscia, Gina" <Soscia.Gina@epa.gov>
Date: Fri, March 11, 2022 10:13 am
To: Nonresponsive based on revised scope @kineticoswva.com"

Nonresponsive based on revised scope @kineticoswva.com>

Nonresponsive based on revised scope hope all is well. I will be helping out with this site as Meg Broughton is no longer with our Region. She transferred to the Denver Office in November 2021.

I have a heads up from the resident at 17086 LP Bailey Highway that they are ready to schedule a date for their system maintenance. Can you give me a sense of when you might be able to perform this maintenance so I can work with the resident on an agreed-upon date?

I am confirming with Chris that she would like my support to set up appointments with the other four property owners as well.

Thanks so much for your help and please let me know if you have any questions.

Talk to you soon!

-Gina



Gina Soscia

Community Involvement Branch Chief

Office of Public Affairs

US EPA Mid-Atlantic Region

Phone 215-814-5538

Email soscia.gina@epa.gov



The content image001.jpg of type has been blocked.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.